

White Paper

THEORETICAL CONSTRUCTION – MODEL OF BRAIN PERFORMANCE

JANUARY 2017

EXECUTIVE SUMMARY

Neurozone® has identified 10 domains where we make daily decisions which we discovered through Neuroscience can drastically affect the performance of your brain. We call these 10 domains "Drivers" of brain performance. These Drivers are domains in

our lives where we can make decisions to behave in a certain manner which will result in optimum brain performance. **Neurozone®** has furthermore identified four core conditions/core competencies that precede brain performance.





EXERCISE

Exercise ^{1 2 3 4 5 6 7 8}: As a foundational driver of brain performance, exercise stimulates the formation of new brain cells in the hippocampus, a brain structure critical for building memory and knowledge. Exercise also moves the brain into a relaxed physiological state and reduces chronic

stress through its variety of beneficial effects on the three interconnected structures (hypothalamus, amygdala and hippocampus), as well as the brainstem. It further enhances creative problem solving in the dorsolateral prefrontal cortex.

¹ Cotman, C. W., & Berchtold, N. C. (2002). Exercise: a behavioral intervention to enhance brain health and plasticity. Trends in neurosciences, 25(6), 295-301.

² Nindl, B. C., & Pierce, J. R. (2010). Insulin-like growth factor I as a biomarker of health, fitness, and training status. Med Sci Sports Exerc, 42(1), 39-49.

³ Pereira, A. C., Huddleston, D. E., Brickman, A. M., Sosunov, A. A., Hen, R., McKhann, G. M., ... & Small, S. A. (2007). An in vivo correlate of exercise-induced neurogenesis in the adult dentate gyrus. Proceedings of the National Academy of Sciences, 104(13), 5638-5643.

⁴Clarke, J., & Janssen, I. (2013). Is the frequency of weekly moderate-to-vigorous physical activity associated with the metabolic syndrome in Canadian adults?. Applied Physiology, Nutrition, and Metabolism, 38(7), 773-778.

⁵ Bos, I., Jacobs, L., Nawrot, T. S., De Geus, B., Torfs, R., Panis, L. I., ... & Meeusen, R. (2011). No exercise-induced increase in serum BDNF after cycling near a major traffic road. Neuroscience letters, 500(2), 129-132.

⁶Henson, J., Yates, T., Biddle, S. J., Edwardson, C. L., Khunti, K., Wilmot, E. G., ... & Davies, M. J. (2013). Associations of objectively measured sedentary behaviour and physical activity with markers of cardiometabolic health. Diabetologia, 56(5), 1012-1020.

⁷Chen, Z., Resnik, E., McFarland, J. M., Sakmann, B., & Mehta, M. R. (2011). Speed controls the amplitude and timing of the hippocampal gamma rhythm. PLoS One, 6(6), e21408.

⁸ Little, J. P., Safdar, A., Wilkin, G. P., Tarnopolsky, M. A., & Gibala, M. J. (2010). A practical model of low⊡volume high⊡intensity interval training induces mitochondrial biogenesis in human skeletal muscle: potential mechanisms. The Journal of physiology, 588(6), 1011-1022.



Nutrition ⁹ ¹⁰ ¹¹ ¹² ¹³ ¹⁴ ¹⁵ ¹⁶ ¹⁷ ¹⁸: Fueling the brain properly requires continuously available glucose (carbohydrates). The brain constitutes 2% of the body mass yet uses 20% of its energy, underscoring

the need for a continuous supply of fuel. The brainstem and hypothalamus regulate cyclical intake of nutrients, while low GI type foods ensure a sustained supply of energy for brain and body.

⁹ Decety, J., Jackson, P. L., Sommerville, J. A., Chaminade, T., & Meltzoff, A. N. (2004). The neural bases of cooperation and competition: an fMRI investigation. Neuroimage, 23(2), 744-751.

¹⁰ Fischer, K., Colombani, P. C., Langhans, W., & Wenk, C. (2002). Carbohydrate to protein ratio in food and cognitive performance in the morning. Physiology & behavior, 75(3), 411-423.

¹¹ Lieberman, H. R., Kanarek, R. B., & Prasad, C. (2005). Nutritional neuroscience: overview of an emerging field.

¹² Neuhouser, M. L., Schwarz, Y., Wang, C., Breymeyer, K., Coronado, G., Wang, C. Y., ... & Lampe, J. W. (2012). A low-glycemic load diet reduces serum C-reactive protein and modestly increases adiponectin in overweight and obese adults. The Journal of nutrition, 142(2), 369-374.

¹³ Fischer, K., Colombani, P. C., Langhans, W., & Wenk, C. (2002). Carbohydrate to protein ratio in food and cognitive performance in the morning. Physiology & behavior, 75(3), 411-423.

¹⁴ Ramasamy, R., Vannucci, S. J., Du Yan, S. S., Herold, K., Yan, S. F., & Schmidt, A. M. (2005). Advanced glycation end products and RAGE: a common thread in aging, diabetes, neurodegeneration, and inflammation. Glycobiology, 15(7), 16R-28R.

¹⁵ Holahan, C. J., Schutte, K. K., Brennan, P. L., Holahan, C. K., Moos, B. S., & Moos, R. H. (2010). Late ☐life alcohol consumption and 20 ☐year mortality. Alcoholism: Clinical and Experimental Research, 34(11), 1961-1971.

¹⁶ Troup, G. J., Navarini, L., Liverani, F. S., & Drew, S. C. (2015). Stable radical content and anti-radical activity of roasted Arabica coffee: from in-tact bean to coffee brew. PloS one, 10(4), e0122834.

¹⁷Stranges, S., Samaraweera, P. C., Taggart, F., Kandala, N. B., & Stewart-Brown, S. (2014). Major health-related behaviours and mental well-being in the general population: The Health Survey for England. BMJ open, 4(9), e005878.

¹⁸ Youm, Y. H., Nguyen, K. Y., Grant, R. W., Goldberg, E. L., Bodogai, M., Kim, D., ... & Kang, S. (2015). The ketone metabolite [beta]-hydroxybutyrate blocks NLRP3 inflammasome-mediated inflammatory disease. Nature medicine, 21(3), 263-269.



Sleep/Wake Cycle ^{19 20 21 22 23 24 25 26 27 28}: Sleep is a rhythm as essential as breathing and heartbeat, except that its rhythm is an optimum 7 to 9 hours in 24. But we don't just sleep to rest. Sleep and wake

cycles are both highly active brain states regulated

by the hypothalamus and brainstem. During sleep the brain builds and consolidates memory via the hippocampus and facilitates challenging problemsolving at the level of the dorsolateral pathways and dorsolateral prefrontal cortex.

¹⁹ Pace-Schott, E. F., Nave, G., Morgan, A., & Spencer, R. (2012). Sleep-dependent modulation of affectively guided decision making. Journal of sleep research, 21(1), 30-39.

²⁰ Tamminen, J., Payne, J. D., Stickgold, R., Wamsley, E. J., & Gaskell, M. G. (2010). Sleep spindle activity is associated with the integration of new memories and existing knowledge. The Journal of Neuroscience, 30(43), 14356-14360.

²¹ Sagawa, Y., Kondo, H., Matsubuchi, N., Takemura, T., Kanayama, H., Kaneko, Y., ... & Shimizu, T. (2011). Alcohol Has a Dose□Related Effect on Parasympathetic Nerve Activity During Sleep. Alcoholism: Clinical and Experimental Research, 35(11), 2093-2100.

²² Hirshkowitz, M., Whiton, K., Albert, S. M., Alessi, C., Bruni, O., DonCarlos, L., ... & Neubauer, D. N. (2015). National Sleep Foundation's sleep time duration recommendations: methodology and results summary. Sleep Health, 1(1), 40-43.

²³ Cai, D. J., Mednick, S. A., Harrison, E. M., Kanady, J. C., & Mednick, S. C. (2009). REM, not incubation, improves creativity by priming associative networks. Proceedings of the National Academy of Sciences, 106(25), 10130-10134.

²⁴ Valdez, P., Ramírez, C., & García, A. (2012). Circadian rhythms in cognitive performance: implications for neuropsychological assessment. Chronophysiol Ther, 81.

²⁵ Waterhouse, J., Fukuda, Y., & Morita, T. (2012). Daily rhythms of the sleep-wake cycle. Journal of physiological anthropology, 31(1), 1.

²⁶ Lee, H., Xie, L., Yu, M., Kang, H., Feng, T., Deane, R., ... & Benveniste, H. (2015). The effect of body posture on brain glymphatic transport. The Journal of Neuroscience, 35(31), 11034-11044.

²⁷ Nota, J. A., & Coles, M. E. (2015). Duration and timing of sleep are associated with repetitive negative thinking. Cognitive Therapy and Research, 39, 253-261.

²⁸ Youngstedt, S. D. (2005). Effects of exercise on sleep. Clinics in sports medicine, 24(2), 355-365.



SILENCING THE MIND

Silencing the Mind ^{29 30 31 32 33 34 35 36 37}: With Silencing the Mind we refer to purposeful sessions to enhance focus and/or to allow thoughts without reacting, thereby preventing worrying about the future or regretting the past (mindfulness). If you silence your mind for just 15 minutes daily it will positively affect the whole brain/body system. Among its many benefits, it promotes a relaxed physiological state

at the level of the hypothalamus and amygdala and enhances the ability to focus and sustain attention at the level of the dorsolateral prefrontal cortex. It promotes brain cell formation in the hippocampus and reduces the sensitivity of the amygdala, calming it down and promoting clarity of mind through proper activation of the sophisticated prefrontal cortex.

²⁹ Engel, A. K., Fries, P., & Singer, W. (2001). Dynamic predictions: oscillations and synchrony in top-down processing. Nature Reviews Neuroscience, 2(10), 704-716.

³⁰ Hölzel, B. K., Carmody, J., Vangel, M., Congleton, C., Yerramsetti, S. M., Gard, T., & Lazar, S. W. (2011). Mindfulness practice leads to increases in regional brain gray matter density. Psychiatry Research: Neuroimaging, 191(1), 36-43.

³¹ MacLean, K. A., Ferrer, E., Aichele, S. R., Bridwell, D. A., Zanesco, A. P., Jacobs, T. L., ... & Saron, C. D. (2010). Intensive meditation training improves perceptual discrimination and sustained attention. Psychological science, 21(6), 829-839.

³² Colzato, L. S., Szapora, A., Lippelt, D., & Hommel, B. (2014). Prior meditation practice modulates performance and strategy use in convergent-and divergent-thinking problems. Mindfulness, 1-7.

³³ Goyal, M., Singh, S., Sibinga, E. M., Gould, N. F., Rowland-Seymour, A., Sharma, R., ... & Ranasinghe, P. D. (2014). Meditation programs for psychological stress and well-being: a systematic review and meta-analysis. JAMA internal medicine, 174(3), 357-368.

³⁴ ALutz, A., Slagter, H. A., Dunne, J. D., & Davidson, R. J. (2008). Attention regulation and monitoring in meditation. Trends in cognitive sciences, 12(4), 163-169.

³⁵ Baer, R. A. (2003). Mindfulness training as a clinical intervention: A conceptual and empirical review. Clinical psychology: Science and practice, 10(2), 125-143.

³⁶ Lutz, A., Slagter, H. A., Dunne, J. D., & Davidson, R. J. (2008). Attention regulation and monitoring in meditation. Trends in cognitive sciences, 12(4), 163-169.

³⁷ Eckberg, D. L. (2003). Topical Review. The Journal of Physiology, 548(2), 339-352.



Social Safety ^{38 39 40 41 42 43 44 45 46 47}: Bonding, belonging, identity and meaning are four human needs which are varying descriptions of the social brain. Bonding, belonging, identity and meaningful contribution are all essential for safety within a group, for efficient functioning in a system. The four needs are being

developed and nourished throughout human development in a sequential fashion, to ensure the group stay alive, survive and thrive. Since these needs are so important for human survival, the brain unconsciously uses these needs as part of the criteria to assign a value to any incoming cue.

³⁸ Walton, G. M., & Cohen, G. L. (2011). A brief social-belonging intervention improves academic and health outcomes of minority students. Science,331(6023), 1447-1451.

³⁹ Ybarra, O., Winkielman, P., Yeh, I., Burnstein, E., & Kavanagh, L. (2010). Friends (and sometimes enemies) with cognitive benefits: What types of social interactions boost executive functioning?. Social Psychological and Personality Science, 1948550610386808.

⁴⁰ Walsh, C., & Sulkowski, A. J. (2010). A greener company makes for happier employees more so than does a more valuable one: a regression analysis of employee satisfaction, perceived environmental performance and firm financial value. Interdisciplinary Environmental Review, 11(4), 274-282.

⁴¹ Kendrick, K. M. (2004). The neurobiology of social bonds. Journal of neuroendocrinology, 16(12), 1007-1008.

⁴² Meyer-Lindenberg, A., Domes, G., Kirsch, P., & Heinrichs, M. (2011). Oxytocin and vasopressin in the human brain: social neuropeptides for translational medicine. Nature Reviews Neuroscience, 12(9), 524-538.

⁴³ Morrison, R. (2004). Informal Relationships in the Workplace: Associations with Job Satisfaction, Organisational Commitment and Turnover Intentions. New Zealand journal of psychology, 33(3).

⁴⁴ Press, M., & Arnould, E. J. (2011). How does organizational identification form? A consumer behavior perspective. Journal of Consumer Research, 38(4), 650-666.

⁴⁵ Fredrickson, B. L., Grewen, K. M., Coffey, K. A., Algoe, S. B., Firestine, A. M., Arevalo, J. M., ... & Cole, S. W. (2013). A functional genomic perspective on human well-being. Proceedings of the National Academy of Sciences, 110(33), 13684-13689.

⁴⁶ Norman, L., Lawrence, N., Iles, A., Benattayallah, A., & Karl, A. (2015). Attachment-security priming attenuates amygdala activation to social and linguistic threat. Social cognitive and affective neuroscience, 10(6), 832-839.

⁴⁷ Steffens, N. K., Haslam, S. A., Schuh, S. C., Jetten, J., & van Dick, R. (2016). A meta-analytic review of social identification and health in organizational contexts. Personality and Social Psychology Review, 1088868316656701.



Goal Directedness ⁴⁸ ⁴⁹ ⁵⁰ ⁵¹ ⁵² ⁵³ ⁵⁴ ⁵⁵ ⁵⁶ ⁵⁷ ⁵⁸ ⁵⁹ ⁶⁰: Goal directedness is an unconscious brain state essential for goal achievement. This is not the same as goal setting. Simply put, our goal is to stay alive, survive and ultimately to thrive. To achieve this, the brain has developed a system that avoids

threats and seeks rewards. The striatum (not shown here) directs our attention to stimuli. In addition, the amygdala, ventromedial pathways and ventromedial prefrontal cortex play an important role in goal-directed behavior.

⁴⁸ Daw, N. D., Gershman, S. J., Seymour, B., Dayan, P., & Dolan, R. J. (2011). Model-based influences on humans' choices and striatal prediction errors. Neuron, 69(6), 1204-1215.

⁴⁹ Moore, S. G., Ferguson, M. J., & Chartrand, T. L. (2011). Affect in the aftermath: How goal pursuit influences implicit evaluations. Cognition and Emotion, 25(3), 453-465.

⁵⁰ Rydell, R. J., Shiffrin, R. M., Boucher, K. L., Van Loo, K., & Rydell, M. T. (2010). Stereotype threat prevents perceptual learning. Proceedings of the National Academy of Sciences, 107(32), 14042-14047.

⁵¹ Nadler, R. T., Rabi, R., & Minda, J. P. (2010). Better mood and better performance learning rule-described categories is enhanced by positive mood. Psychological Science, 21(12), 1770-1776.

⁵² Mah, L., Szabuniewicz, C., & Fiocco, A. J. (2016). Can anxiety damage the brain?. Current opinion in psychiatry, 29(1), 56-63.

⁵³ Berridge, K. C., & Robinson, T. E. (2011). Drug addiction as incentive sensitization. Addiction and responsibility, 21-54.

⁵⁴ Proyer, R. T., Ruch, W., & Buschor, C. (2013). Testing strengths-based interventions: A preliminary study on the effectiveness of a program targeting curiosity, gratitude, hope, humor, and zest for enhancing life satisfaction. Journal of Happiness Studies, 14(1), 275-292.

⁵⁵ Lak, A., Costa, G. M., Romberg, E., Koulakov, A. A., Mainen, Z. F., & Kepecs, A. (2014). Orbitofrontal cortex is required for optimal waiting based on decision confidence. Neuron, 84(1), 190-201.

⁵⁶ Amar Cheema, Rajesh Bagchi. The Effect of Goal Visualization on Goal Pursuit: Implications for Consumers and Managers. Journal of Marketing. March 2011, Vol. 75, No. 2, pp. 109-123

⁵⁷ Shoemaker, C. A. (2010). Student confidence as a measure of learning in an undergraduate Principles of Horticultural Science course. HortTechnology, 20(4), 683-688

⁵⁸ Seery, M. D., Gabriel, S., Lupien, S. P., & Shimizu, M. (2016). Alone against the group: A unanimously disagreeing group leads to conformity, but cardiovascular threat depends on one's goals. Psychophysiology.

⁵⁹ Kaplin, A., & Anzaldi, L. (2015). New Movement in Neuroscience: A Purpose-Driven Life. In Cerebrum: the Dana forum on brain science (Vol. 2015). Dana Foundation.

⁶⁰ Aknin, L. B., Dunn, E. W., Sandstrom, G. M., & Norton, M. I. (2013). Does social connection turn good deeds into good feelings?: On the value of putting the 'social'in prosocial spending. International Journal of Happiness and Development, 1(2), 155-171.



Collective Creativity ⁶¹ ⁶² ⁶³ ⁶⁴ ⁶⁵ ⁶⁶ ⁶⁶ ⁶⁸ ⁶⁹: In neuroscience, collective creativity is defined as the ability of a group to solve problems and fashion novel products that are adaptive for the survival and thriving of the group. For the individuals that are part of a

collectively creative group, chronic stress is reduced at the level of the amygdala and hypothalamus. At the same time, collective creativity also enhances individual problem-solving ability by putting the dorsolateral prefrontal cortex in control.

⁶¹ Schulkin, J. (2010). Social allostasis: anticipatory regulation of the internal milieu. Frontiers in evolutionary neuroscience, 2.

⁶² Woolley, A. W., Chabris, C. F., Pentland, A., Hashmi, N., & Malone, T. W. (2010). Evidence for a collective intelligence factor in the performance of human groups. science, 330(6004), 686-688.

⁶³ Baldauf, S. A., Engqvist, L., & Weissing, F. J. (2014). Diversifying evolution of competitiveness. Nature communications, 5.

⁶⁴ Anderson, N., Potočnik, K., & Zhou, J. (2014). Innovation and creativity in organizations a state-of-the-science review, prospective commentary, and guiding framework. Journal of Management, 40(5), 1297-1333.

⁶⁵ Burt, R. S. (2000). The network structure of social capital. Research in organizational behavior, 22, 345-423.

⁶⁶ Decety, J., & Lamm, C. (2006). Human empathy through the lens of social neuroscience. The Scientific World Journal, 6, 1146-1163.

⁶⁷ Iacoboni, M. (2009). Imitation, empathy, and mirror neurons. Annual review of psychology, 60, 653-670.

⁶⁸ Whitson, J. A., Liljenquist, K. A., Galinsky, A. D., Magee, J. C., Gruenfeld, D. H., & Cadena, B. (2013). The blind leading: Power reduces awareness of constraints. Journal of Experimental Social Psychology, 49(3), 579-582.

⁶⁹ Kitts, J. A., Leal, D. F., Felps, W., Jones, T. M., & Berman, S. L. (2016). Greed and Fear in Network Reciprocity: Implications for Cooperation among Organizations. PloS one, 11(2), e0147264.



LEARNING

Learning 70 71 72 73 74 75 76 77 78 79 80 81: The brain learns and builds new knowledge by forming memories. The hippocampus is the key structure in this process. It feeds knowledge to the appropriate long-term memory sites where it can be used as the building blocks of innovation. Learning can be enhanced through a process called neuroplasticity (ability

to form new brain cells and brain circuits). This happens especially in the hippocampus. We also introduce a novel term: 'Hippocampal Fitness'. This refers to the state of the hippocampus when it is most ready to learn, filled with good nourishing growth factors and budding new circuits.

⁷⁰ Babic, M., & Zinsmaier, K. E. (2011). Memory, synapse stability, and β-adducin. Neuron, 69(6), 1039-1041.

⁷¹ Karpicke, J. D., & Blunt, J. R. (2011). Retrieval practice produces more learning than elaborative studying with concept mapping. Science, 331(6018), 772-775.

⁷² Onifade, E. O., Jackson, D. M., Chang, T. R., Thorne, J., & Allen, C. (2011). Recall and the serial position effect: The role of primacy and recency on accounting students' performance. Academy of Educational Leadership Journal, 15(3), 65.

⁷³ Dunlosky, J., Rawson, K. A., Marsh, E. J., Nathan, M. J., & Willingham, D. T. (2013). Improving students' learning with effective learning techniques promising directions from cognitive and educational psychology. Psychological Science in the Public Interest, 14(1), 4-58.

⁷⁴ Okamoto, T., Endo, S., Shirao, T., & Nagao, S. (2011). Role of cerebellar cortical protein synthesis in transfer of memory trace of cerebellum-dependent motor learning. The Journal of Neuroscience, 31(24), 8958-8966.

⁷⁵ Kim, R. S., Seitz, A. R., & Shams, L. (2008). Benefits of stimulus congruency for multisensory facilitation of visual learning. PLoS One, 3(1), e1532.

⁷⁶ Brasted, P. J., Bussey, T. J., Murray, E. A., & Wise, S. P. (2003). Role of the hippocampal system in associative learning beyond the spatial domain. Brain, 126(5), 1202-1223.

⁷⁷ Wang, X. D., Chen, Y., Wolf, M., Wagner, K. V., Liebl, C., Scharf, S. H., ... & Deussing, J. M. (2011). Forebrain CRHR1 deficiency attenuates chronic stress-induced cognitive deficits and dendritic remodeling. Neurobiology of disease, 42(3), 300-310.

⁷⁸ Payne, J. D., Tucker, M. A., Ellenbogen, J. M., Wamsley, E. J., Walker, M. P., Schacter, D. L., & Stickgold, R. (2012). Memory for semantically related and unrelated declarative information: the benefit of sleep, the cost of wake. PLoS One, 7(3), e33079.

⁷⁹ Jensen, M. B., Johnson, B., Lorenz, E., & Lundvall, B. Å. (2007). Forms of knowledge and modes of innovation. Research policy, 36(5), 680-693.

⁸⁰ Patel, R., Spreng, R. N., & Turner, G. R. (2013). Functional brain changes following cognitive and motor skills training a quantitative meta-analysis. Neurore-habilitation and neural repair, 27(3), 187-199.

⁸¹ Rahman, M. M., Callaghan, C. K., Kerskens, C. M., Chattarji, S., & O'Mara, S. M. (2016). Early hippocampal volume loss as a marker of eventual memory deficits caused by repeated stress. Scientific Reports, 6.



Abstraction 82 83 84 85 86 87 88 89 90: Abstraction is the capacity to make novel internal representations of the possible, a result of accurately grouping non-obvious patterns and their relationships. Abstraction draws upon knowledge (the building

blocks of innovation) and largely takes place in the dorsolateral pathways. These pathways are sometimes referred to as the 'super highway' en route to the dorsolateral prefrontal cortex, where the most sophisticated problem solving takes place.

⁸² De Manzano, O., Cervenka, S., Karabanov, A., Farde, L., & Ullen, F. (2010). Thinking outside a less intact box: thalamic dopamine D2 receptor densities are negatively related to psychometric creativity in healthy individuals. PLoS One,5(5), e10670.

⁸³ Von Stumm, S., Hell, B., & Chamorro-Premuzic, T. (2011). The hungry mind intellectual curiosity is the third pillar of academic performance. Perspectives on Psychological Science, 6(6), 574-588.

⁸⁴ Anderson, N., Potočnik, K., & Zhou, J. (2014). Innovation and creativity in organizations a state-of-the-science review, prospective commentary, and guiding framework. Journal of Management, 40(5), 1297-1333.

⁸⁵ German, T. P., & Barrett, H. C. (2005). Functional fixedness in a technologically sparse culture. Psychological Science, 16(1), 1-5.

⁸⁶ Maddux, W. W., Adam, H., & Galinsky, A. D. (2010). When in Rome... Learn why the Romans do what they do: How multicultural learning experiences facilitate creativity. Personality and Social Psychology Bulletin.

⁸⁷ McCaffrey, T. (2012). Innovation relies on the obscure a key to overcoming the classic problem of functional fixedness. Psychological science, 0956797611429580.

⁸⁸ Bunzeck, N., & Düzel, E. (2006). Absolute coding of stimulus novelty in the human substantia nigra/VTA. Neuron, 51(3), 369-379.

⁸⁹ Leung, A. K. Y., Kim, S., Polman, E., Ong, L. S., Qiu, L., Goncalo, J. A., & Sanchez-Burks, J. (2012). Embodied metaphors and creative "acts". Psychological science, 23(5), 502-509.

⁹⁰ Oppezzo, M., & Schwartz, D. L. (2014). Give your ideas some legs: The positive effect of walking on creative thinking. Journal of experimental psychology: learning, memory, and cognition, 40(4), 1142.



EXECUTIVE FUNCTION

Executive Function ^{91 92 93 94 95 96 97 98}: Executive function is assigned to the dorsolateral prefrontal cortex (outer top part of the frontal lobe). Regarded as the CEO of the brain, it is where the most sophisticated and enriched thinking takes place.

The dorsolateral prefrontal cortex is interrelated with the ventromedial prefrontal cortex (inner bottom part of the frontal lobe). Important aspects of executive function include working memory, focus and sustained attention.

⁹¹ Funahashi, S. (2006). Prefrontal cortex and working memory processes. Neuroscience, 139(1), 251-261.

⁹² Jaeggi, S. M., Buschkuehl, M., Jonides, J., & Perrig, W. J. (2008). Improving fluid intelligence with training on working memory. Proceedings of the National Academy of Sciences, 105(19), 6829-6833.

⁹³ Nelson, A. J., Thur, K. E., Marsden, C. A., & Cassaday, H. J. (2010). Catecholaminergic depletion within the prelimbic medial prefrontal cortex enhances latent inhibition. Neuroscience, 170(1), 99-106.

⁹⁴ Boot, W. R., & Kramer, A. F. (2014, November). The brain-games conundrum: does cognitive training really sharpen the mind?. In Cerebrum: the Dana forum on brain science (Vol. 2014). Dana Foundation.

⁹⁵ Patel, R., Spreng, R. N., & Turner, G. R. (2013). Functional brain changes following cognitive and motor skills training a quantitative meta-analysis. Neurore-habilitation and neural repair, 27(3), 187-199.

⁹⁶ Simons, D. J., Boot, W. R., Charness, N., Gathercole, S. E., Chabris, C. F., Hambrick, D. Z., & Stine-Morrow, E. A. (2016). Do "Brain-Training" Programs Work?. Psychological Science in the Public Interest, 17(3), 103-186.

⁹⁷ Lutz, A., Slagter, H. A., Dunne, J. D., & Davidson, R. J. (2008). Attention regulation and monitoring in meditation. Trends in cognitive sciences, 12(4), 163-169.

⁹⁸ Seli, P., Risko, E. F., & Smilek, D. (2016). On the necessity of distinguishing between unintentional and intentional mind wandering. Psychological science, 27(5), 685-691.



Learning Capacity ⁹⁹ ¹⁰⁰ ¹⁰¹ can be viewed as the capacity of the Brain/Body System to register, store & consolidate information as insightful knowledge and to be able to retrieve this useful information when needed. To enable you to achieve this, you need numerous well-functioning components. Two examples are focus and sustained attention and another is a part of the brain called the hippocampus, filled with rich brain connections, ready to receive

and consolidate newly learnt materials. We call this 'hippocampal fitness'. From a neuroscience perspective **Neurozone**® helps you to understand how to optimize your Brain/Body System for optimal learning capacity. This forms the platform for the acceleration of the mastery of the competency of learning and development, providing an essential foundation for any development program.

⁹⁹ Hobson, J. A., & Pace-Schott, E. F. (2002). The cognitive neuroscience of sleep: neuronal systems, consciousness and learning. Nature Reviews Neuroscience, 3(9), 679-693.

¹⁰⁰ Jarrard, L. E. (1993). On the role of the hippocampus in learning and memory in the rat. Behavioral and neural biology, 60(1), 9-26.

¹⁰¹ Matzel, L. D., Han, Y. R., Grossman, H., Karnik, M. S., Patel, D., Scott, N., ... & Gandhi, C. C. (2003). Individual differences in the expression of a "general" learning ability in mice. The Journal of neuroscience, 23(16), 6423-6433.



RESILIENCE

Resilience ¹⁰² ¹⁰³ ¹⁰⁴ is the capacity of the Brain/Body System to withstand the challenges that threatens its stability. Resilience is an active process and adaptive. For example, the brain actively and continuously adapts at a molecular and neuronal level in the presence of a stressor. This adaptive capability determines the resiliency. Effectively enhanced resilience prevents implosion of the

Brain/Body System and sets you up to perform at your best in all conditions. From a neuroscience perspective **Neurozone®** helps you to understand how to optimize your Brain/Body System for optimal resilience. This forms the platform for the acceleration of the mastery of the competency of resilience, providing an essential foundation for any high-performing individual and organization.

¹⁰² Russo, S. J., Murrough, J. W., Han, M. H., Charney, D. S., & Nestler, E. J. (2012). Neurobiology of resilience. Nature neuroscience, 15(11), 1475-1484.

¹⁰³ Feder, A., Nestler, E. J., & Charney, D. S. (2009). Psychobiology and molecular genetics of resilience. Nature Reviews Neuroscience, 10(6), 446-457.

¹⁰⁴ Davidson, R. J. (2000). Affective style, psychopathology, and resilience: brain mechanisms and plasticity. American Psychologist, 55(11), 1196.



INNOVATION CAPACITY

Innovation Capacity ¹⁰⁵ ¹⁰⁶ ¹⁰⁷ is the collective capacity of your Brain/Body System to solve problems and fashion novel products. Your brain has an astonishingly complex and sophisticated capability to form 'realistic scenarios of the possible' This lies at the heart of innovation. Your solutions and novel products are only deemed 'innovative' if the group also thinks so. Therefore, both the social-emotional and the abstractive thinking brain form

part of the brain's problem-solving machine. From a neuroscience perspective **Neurozone**® helps you to understand how to optimize your Brain/Body System for optimal innovation. This forms the platform for the acceleration of the mastery of the competency of innovation, providing an essential foundation for any high-performing individual and organization.

¹⁰⁵ Dietrich, A. (2004). The cognitive neuroscience of creativity. Psychonomic bulletin & review, 11(6), 1011-1026.

¹⁰⁶ Jung, R. E., Mead, B. S., Carrasco, J., & Flores, R. A. (2013). The structure of creative cognition in the human brain. Frontiers in human neuroscience, 7, 330.

¹⁰⁷ Bressler, S. L., & Menon, V. (2010). Large-scale brain networks in cognition: emerging methods and principles. Trends in cognitive sciences, 14(6), 277-290.



SELF-LEADERSHIP

We view Self-Leadership ^{108 109 110 111} as the capability to have a clear vision of the goal that needs to be achieved, accurately calculate the strengths and resources available to achieve the goal, provide adequate energy to drive the process and to effectively integrate learning from the process. In this sense, self-leadership is an imperative for leadership of the collective. From a neuroscience

perspective **Neurozone**® helps you to understand how to optimize your Brain/Body System for optimal self-leadership. This forms the platform for the acceleration of the mastery of the competencies of leadership, providing an essential foundation for any high-performing individual leader and organization.

¹⁰⁸ Pircher, R., & Seuhs-Schoeller, C. (2015). Self-Leadership: Guiding Principles for Adaptive Leaders and Organizations. The Journal of American Business Review, 3(2).

¹⁰⁹ Pircher, R. (2015). Self-Leadership in Purpose-Driven Organizations: Analyzing Human Perception for More Integrated Decision-Making. Available at SSRN 2670704.

¹¹⁰ Stewart, G. L., Courtright, S. H., & Manz, C. C. (2011). Self-leadership: A multilevel review. Journal of Management, 37(1), 185-222.

¹¹¹ Goleman, D., & Boyatzis, R. (2008). Social intelligence and the biology of leadership. Harvard business review, 86(9), 74-81.